



## REMINDER:

### Procedure When Accessing HV Network

Staff are reminded that at all times, **regardless of conditions**, they must follow all steps when accessing the HV network.

**These include:**

- Identify yourself to NOC.
- Quote switching number.
- Identify **your location** to NOC.
- Gain operation approval from NOC for each operation.
- Repeat back all instructions given by network operator for each operation & cross off your instruction list when action is complete.
- Never attempt to open an air break switch or high voltage fuse element under high load or suspected fault current. **STOP AND ASK NOC IF UNSURE.**
- Ensure you understand and use the minimum PPE requirements for the task being undertaken.



Please be Reminded:

**You must always obtain clear instruction from the NOC operator before working on the HV network.**

**Any breach of the procedures could result in disciplinary action:**

### Revision of Downer Procedure UTS-PR016-HV Network Operations

Please familiarise yourself with the revision of this procedure which highlights the requirements surrounding the access of the HV network, and self issue permitting.

**Stand  
in the  
Gap**

Would this initiative be useful in your area?

What would you need to do to implement it?

How can you 'Stand in the Gap'?

#### Further information

Peter Norris Safety Advisor  
Utilities (Power)  
021 831 512

#### Authorised by

Grant Jenkins Safety Manager Utilities (Power)  
021 702 4808

#### Useful Resources

[UTS-PR016](#)